PRINTER RUSH

(PTO ASSISTANCE)

Application:	098443	S <i>3</i>	Examiner:	Kausho	M (GAU:	<u> 33 صل</u> ا		
From:	V. Bae	<u> </u>	Location:	IDC FMF F	DC	Date:	3124	(DE	
			Tracking #:	epmoge-r	M327	Week Date:	3131	≥02	
14 ID CI III SF DI OA 31	LM FW/FWCLM RFW RW ATH		DATE	MISC Continuin Foreign P Documen Fees Other	ng Data riority	NEOUS			
[RUSH] MESSAGE: Please remove CPA information from the Specification per CFR 1.18(a)(2). Thanh you. [XRUSH] RESPONSE:									
	C	orrection ma	ade in the S	SPEC. see attach	nment				
	INITIALS:								

EXAMINER: PUBS contacts -- for DESIGNS: Don Fairchild, 703-308-9250 x126; for ALL OTHER FILES: Bernadette Queen, 703-308-9250 x121

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

THERAPEUTIC AND DIAGNOSTIC TOOLS FOR IMPAIRED GLUCOSE TOLERANCE CONDITIONS

Cross Reference To Related Applications

This application is a continuation of application Serial Number 08/857,076, filed August 3, 2000, which is a continued procession application of Serial Number 08/857,076, filed May 15, 1997.

104/10/03

154

5

Statement as to Federally Sponsored Research

This invention was made in part with Government funding, and the Government therefore has certain rights in the invention.

Background of the Invention

This invention relates to compositions and methods useful for delaying or ameliorating human diseases associated with glucose intolerance.

Diabetes is a major disease affecting over 16 million individuals in the United States alone at an annual cost of over 92 billion dollars.

Type I diabetes or insulin-dependent diabetes (IDDD) is an autoimmune disease. In the IDDM patient, the immune system attacks and destroys the insulin-producing beta cells in the pancreas. The central role of insulin in human metabolism is to aid in the transport of glucose into muscle cells and fat cells. The body's inability to produce insulin results in hyperglycemia, ketoacidosis, thirst, and weight loss. In addition, diabetics often suffer from chronic atherosclerosis and kidney and eyesight failure. A patient with IDDM requires daily injections of insulin to survive.

The most common form of diabetes is non-insulin dependent diabetes (NIDDM) or Type II diabetes. Type II diabetes is a heterogenous group of

[!] 20

25